



PREPARATION INSTRUCTIONS FOR BED BUG TREATMENT *(Cimex lectularius Linnaeus)*

****Complete This Checklist And Receive **\$50.00** Off Quoted Price. Failure To Complete This List May Result In Rescheduling Of The Service.****

*****Remove all Clutter - Remove all Clutter - Remove all Clutter*****

Please complete the following prior to our scheduled service day and time.

- Inform All Dead Termite Co. of any health concerns or issues such as pregnancy and allergies.
- Document the places where bed bugs have been seen.
- Strip beds and wash and dry all linens, leave beds unmade.
- Remove contents of dressers, nightstands, closets, ECT. _____.
- Vacuum floors and use the crack and crevice tool along the edges of the baseboards where the carpet meets the baseboard and dispose of bag or filter.
- Wash and/or dry all clothing do not return clothing to untreated infested areas.
- Remove curtains or draperies and launder.
- Cover fish/reptile tanks & turn off pumps it may be necessary to remove these animals from the premises.
- Move items away from walls where possible.
- Remove all electrical plates, phone jack covers and light switch plates.
- Purchase zippered mattress encasements for all beds including box springs do not encase mattress until after treatment.?

Re-entry We recommend elderly and health concerned people remain out for a minimum of six hours after service completion. Inform All Dead Termite Co. of any health concerns or issues such as pregnancy and allergies.

Labels and Material Safety Data Sheet is available for all products used at www.alldeadpestcontrol.com/pestdocuments.html

Bed Bug Facts

Lay from one to twelve eggs per day. Eggs are deposited on rough surfaces or in crack and crevices. Eggs are coated with a sticky substance so they adhere to the substrate. Eggs hatch 6 to 17 days. Nymphs can immediately begin to feed. They require a blood meal in order to molt. Developmental time (egg to adult) is affected by temperature and takes about 21 days at 86° F to 120 days at 65° F. The nymphal period is greatly prolonged when food is scarce. Nymphs and adults can live for several months without food. The adult's lifespan may encompass 12-18 months. Three or more generations can occur each year.

Bed bugs hide in dark, protected sites. Tufts, seams, and folds of mattresses, window and door frames, electrical boxes, floor cracks, baseboards, furniture, and under the tack board of wall-to-wall carpeting. pictures, wall hangings, drapery pleats, loosened wallpaper, cracks in plaster, and ceiling moldings. Anywhere is possible!

Sanitation measures include frequently vacuuming the mattress and premises, laundering bedding and clothing in hot water, and cleaning and sanitizing dwellings. After vacuuming, immediately place the vacuum cleaner bag in a plastic bag, seal tightly, and discard in a container outdoors-this prevents captured bed bugs from escaping into the home. A stiff brush can be used to scrub the mattress seams to dislodge bed bugs and eggs. Discarding the mattress is another option, although a new mattress can quickly become infested if bed bugs are still on the premises. Steam cleaning of mattresses generally is not recommended because it is difficult to get rid of excess moisture, which can lead to problems with mold, mildew, house dust mites, etc.

Repair cracks in plaster and glue down loosened wallpaper to eliminate bed bug harborage sites.

Additional Comments:

Company Representative

Date

Customer Representative

Date